AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A display method of for displaying an electronic equipment input state of electronic equipment on a menu screen, wherein the method comprising the steps of:

displaying a <u>first</u> ring is displayed on a picture screen and a plurality of icons are displayed at predetermined intervals on the <u>first</u> ring;

when there is an operation that selects selecting an item on the menu screen icon corresponding to an operation;

rotating each <u>displayed</u> of icons icon <u>displayed</u> on said the <u>first</u> ring is rotated on the ring with <u>while</u> maintaining the order of arrangement; and

automatically displaying the selected icon larger than the other icons positioned on the first ring; and

when there is an operation that confirms a selected item on the menu screen, an input performing the operation corresponding to the selected icon with respect to an icon displayed at a specific position of said ring can be performed.

2. (Cancelled)

3. (Currently Amended) A display method according to claim 1, wherein further comprising the steps of:

when a plurality of input items exist with respect to an icon displayed on said ring,
displaying a second ring a sub-ring of smaller diameter than said the first ring isdisplayed surrounding a displayed position of the selected icon, when it is determined
that a plurality of secondary operations corresponding to the operation exists;

when the icon having said displayed sub-ring is displayed at said specific position and then there is an operation that confirms a selected item, said sub-ring is enlarged to be displayed enlarging the second ring when the icon surrounded by the displayed second ring is selected; and

displaying icons corresponding to respective input items are displayed at predetermined intervals on the sub-ring second ring displayed in enlarged scale.

- 4. (Currently Amended) A display method according to claim 1, wherein one of the icons displayed on said the first ring is an icon that performs an corresponds to the operation of returning to the <u>a</u> display of the including a previous menu layer by one.
- 5. (Currently Amended) A display device comprising: an operation means for performing an input operation,; a display means for displaying a state set by said operation means,; input means for selecting an icon on the display, the icon corresponding to an operation;

a <u>display</u> control means for, when there is an operation by having operation means that makes <u>causing the display to display</u>:

a menu screen display, making having a first ring to be displayed on a picture screen displayed by said display means;

making a plurality of icons to be displayed at predetermined intervals on the <u>first</u> ring;

when there is an operation by said operation means that selects an item in a menu screen rotating a rotation of each of icons displayed icon on said the first ring with while maintaining the order of arrangement; and when there is an operation by said operation means that confirms a selected item in a menu-screen, receiving an input with respect to an icon displayed at a specific position of said ring;

the selected icon larger than the other icons positioned on the first ring;
and
means for performing the operation corresponding to the selected icon.

- 6. (Cancelled)
- 7. (Currently Amended) A display device according to claim 5, wherein said the display control means performs controls of further comprises means for causing the display to display: when a plurality of input items exist with respect to a displayed icon on the a ring, making a sub-ring a second ring of smaller diameter than said the first ring to be displayed surrounding a displayed position of the icon, when it is

determined that a plurality of secondary operations exists for the operation; when the icon having the displayed sub-ring is displayed at said specific position and then there is an operation that confirms a selected item, making said sub-ring to be displayed in enlarged-scale the second ring enlarged; and making icons corresponding to respective input items to be displayed at predetermined intervals on the second ring sub-ring displayed in enlarged scale.

- 8. (Currently Amended) A display device according to claim 5, wherein said the display control means makes further comprises means for causing an icon that performs performing an operation of returning to the <u>a</u> display of the including <u>a</u> previous menu layer by one, to be displayed as one of the icons displayed on said the first ring.
- 9. (New) A method according to claim 1, further comprising the step of highlighting the first ring when performing selections on the first ring.
- 10. (New) A display device according to claim 5, wherein the display control means causes the display to display the first ring highlighted when performing selections on the first ring.